

# Technical data sheet



## Product features

### Freezer cabinet 120 l 3x grid, stainless steel

<b>Model</b>	<b>SAP Code</b>	00007360
HF 200/S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

- Chamber volume [l]: 120
- Minimum device temperature [°C]: -18
- Maximum device temperature [°C]: -22
- Interior lighting: No
- Door lock: Yes
- Automatic defrost: Yes

<b>SAP Code</b>	00007360	<b>Energy class</b>	B
<b>Net Width [mm]</b>	585	<b>Chamber volume [l]</b>	120
<b>Net Depth [mm]</b>	600	<b>Gross Volume [m3]</b>	0.464
<b>Net Height [mm]</b>	855	<b>Net Volume [m3]</b>	0.300
<b>Net Weight [kg]</b>	44.00	<b>Minimum device temperature [°C]</b>	-18
<b>Power electric [kW]</b>	0.150	<b>Maximum device temperature [°C]</b>	-22
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Refrigerant</b>	R600a

# Technical data sheet



Technical drawing

## Freezer cabinet 120 l 3x grid, stainless steel

<b>Model</b>	<b>SAP Code</b>	00007360
HF 200/S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

# Technical data sheet



## Product benefits

### Freezer cabinet 120 l 3x grid, stainless steel

<b>Model</b>	<b>SAP Code</b>	00007360
HF 200/S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

1

#### Quality insulation

minimal heat loss

- saving electricity
- less wear and tear on the compressor due to less frequent switching

2

#### Two-sided opening

possibility to change the opening from the right to the left side

- greater variability of use

3

#### All-stainless design

outer shell

only stainless steel intended for food contact is used

good maintenance

zero contamination

resists even weaker acids

- long service life and high durability

4

#### Automatic defrosting

maintenance-free operation

continuous defrosting

- zero requirement for frost control by the operator

5

#### Wheels, legs

maintenance-free operation

continuous defrosting

- easy handling even when cleaning

# Technical data sheet



## Technical parameters

### Freezer cabinet 120 l 3x grid, stainless steel

<b>Model</b>	<b>SAP Code</b>	00007360
HF 200/S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

**1. SAP Code:**

00007360

**2. Net Width [mm]:**

585

**3. Net Depth [mm]:**

600

**4. Net Height [mm]:**

855

**5. Net Weight [kg]:**

44.00

**6. Gross Width [mm]:**

650

**7. Gross depth [mm]:**

680

**8. Gross Height [mm]:**

1050

**9. Gross Weight [kg]:**

54.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.150

**12. Loading:**

230 V / 1N - 50 Hz

**13. Energy class:**

B

**14. Refrigerant:**

R600a

**15. Cooling type:**

Static with fan

**16. Material:**

Stainless steel

**17. Min ambient temperature [°C]:**

10

**18. Max ambient temperature [°C]:**

43

**19. Device properties 2:**

Freezing

**20. Chamber volume [l]:**

120

**21. Gross Volume [m3]:**

0.464

**22. Net Volume [m3]:**

0.300

**23. Adjustable feet:**

Yes

**24. Number of doors:**

1

**25. Unit:**

Yes

**26. Door lock:**

Yes

**27. Interior lighting:**

No

**28. Minimum device temperature [°C]:**

-18

# Technical data sheet



Technical parameters

## Freezer cabinet 120 l 3x grid, stainless steel

<b>Model</b>	<b>SAP Code</b>	00007360
HF 200/S	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

### 29. Maximum device temperature [°C]:

-22

### 31. Number of grids:

3

### 30. Automatic defrost:

Yes

### 32. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5