

Technical data sheet

Product features



Cooling display 8x GN 1/3

Model	SAP Code	00013366
MCH 3180	A group of articles - web	Cooling and freezing tables



- Material: Stainless steel
- GN / EN size in device: GN 1/3
- Number of GN / EN: 8
- Control type: Digital
- Minimum device temperature [°C]: 2
- Maximum device temperature [°C]: 8
- Unit: Right

SAP Code	00013366	Number of GN / EN	8
Net Width [mm]	1800	GN / EN size in device	GN 1/3
Net Depth [mm]	395	GN device depth	150
Net Height [mm]	440	Minimum device temperature [°C]	2
Net Weight [kg]	55.00	Maximum device temperature [°C]	8
Power electric [kW]	0.180	Refrigerant	R290
Loading	230 V / 1N - 50 Hz	Refrigerant weight [g]	38.00

Technical data sheet

Technical drawing



Cooling display 8x GN 1/3		
Model	SAP Code	00013366
MCH 3180	A group of articles - web	Cooling and freezing tables

Technical data sheet



Technical parameters

Cooling display 8x GN 1/3

Model	SAP Code	00013366
MCH 3180	A group of articles - web	Cooling and freezing tables

1. SAP Code:

00013366

2. Net Width [mm]:

1800

3. Net Depth [mm]:

395

4. Net Height [mm]:

440

5. Net Weight [kg]:

55.00

6. Gross Width [mm]:

1890

7. Gross depth [mm]:

435

8. Gross Height [mm]:

310

9. Gross Weight [kg]:

60.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.180

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Static

15. Material:

Stainless steel

16. Exterior color of the device:

Stainless steel

17. Additional information:

GN are not included

18. Device properties 2:

Cooling

19. GN / EN size in device:

GN 1/3

20. Number of internal parts:

8

21. Number of GN / EN:

8

22. GN device depth:

150

23. Unit:

Right

24. Control type:

Digital

25. Minimum device temperature [°C]:

2

26. Maximum device temperature [°C]:

8

27. Refrigerant weight [g]:

38.00

28. Gross Volume [m3]:

0.255

Technical data sheet

Technical parameters



Cooling display 8x GN 1/3

Model	SAP Code	00013366
MCH 3180	A group of articles - web	Cooling and freezing tables

29. Net Volume [m3]:

0,313

30. Cross-section of conductors CU [mm²]:

0,5