Technical data sheet

Product features

Cooking range electric 4x plate on open cabinet 400 V / 3N		
Model	**SAP Code**	00012304
SP 90/80 E	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Material: AISI 304 top plate, AISI 430 cladding


SAP Code	00012304	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	800	**Number of zones**	4
Net Depth [mm]	900	**Power consumption of the zone 1 [kW]**	3,5
Net Height [mm]	900	**Power consumption of the zone 2 [kW]**	3,5
Net Weight [kg]	86.00	**Power consumption of the zone 3 [kW]**	3,5
Power electric [kW]	14.000	**Power consumption of the zone 4 [kW]**	3,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range electric 4x plate on open cabinet 400 V / 3N		
Model	**SAP Code**	00012304
SP 90/80 E	**A group of articles - web**	Stoves



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooking range electric 4x plate on open cabinet 400 V / 3N		
Model	**SAP Code**	00012304
SP 90/80 E	**A group of articles - web**	Stoves

1 **Round plates**

quick warm-up
efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

2 **Internal thermostatic plate protection**

longer service life of the plates

- no overheating of the plates and no cracking

3 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4 **All-stainless design**

long life
resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

5 **Hygienic moldings of the top plate**

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

- easy quick cleaning

6 **Variability**

the possibility of adding to the current line
easy possibility of creating one module
long life

- cost saving
- space saving
- long service life

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range electric 4x plate on open cabinet 400 V / 3N		
Model	**SAP Code**	00012304
SP 90/80 E	**A group of articles - web**	Stoves

1. **SAP Code:**
   00012304
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   900
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   86.00
6. **Gross Width [mm]:**
   970
7. **Gross depth [mm]:**
   840
8. **Gross Height [mm]:**
   1160
9. **Gross Weight [kg]:**
   96.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    With substructure
12. **Power electric [kW]:**
    14.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Material:**
    AISI 304 top plate, AISI 430 cladding
15. **Worktop material:**
    AISI 304
16. **Worktop Thickness [mm]:**
    1.50
17. **Number of zones:**
    4
18. **Power consumption of the zone 1 [kW]:**
    3,5
19. **Power consumption of the zone 2 [kW]:**
    3,5
20. **Power consumption of the zone 3 [kW]:**
    3,5
21. **Power consumption of the zone 4 [kW]:**
    3,5
22. **Number of power control stages:**
    7
23. **Adjustable feet:**
    Yes
24. **Number of burners/hot plates:**
    4
25. **Type of electric cooking zones:**
    Squared
26. **Cross-section of conductors CU [mm²]:**
    4

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062