

# Technical data sheet



## Product features

### Manual water softener double tap 12 l

<b>Model</b>	<b>SAP Code</b>	00002198
LT 12	<b>A group of articles - web</b>	Water softeners



- Resin capacity: 8.40
- Inlet pressure [bar]: 2-8
- Material: Stainless steel

<b>SAP Code</b>	00002198	<b>Net Height [mm]</b>	515
<b>Net Width [mm]</b>	190	<b>Net Weight [kg]</b>	12.00
<b>Net Depth [mm]</b>	255	<b>Resin capacity</b>	8.40


# Technical data sheet



Technical drawing

## Manual water softener double tap 12 l

<b>Model</b>	<b>SAP Code</b>	00002198
LT 12	<b>A group of articles - web</b>	Water softeners



### TECHNICAL DATA

Height . . . . . A . . . . . mm 500  
 Weight . . . . . Kg 9,5  
 Supply water pressure . . . . . min 1 bar, max 8 bar  
 Maximum flow rate recommended . . . . . 1000 l/h  
 Room temperature . . . . . min 4°C - max 25°C  
 Salt content per regeneration . . . . . 1,5 kg

### SUPPLY WATER CHARACTERISTICS

- Drinking water
- Temperature: min 4°C - max 25°C
- Crystal-clear water (SDI 1)
- Maximum hardness 90°f

### THE PACKAGING CONTAINS:

- 1 steel AISI 304 cylinder holding 12 litres
- 8.5 litres of cationic resins adapt for softening
- 1 instruction manual
- 1 unloading pipe

LITRES OF SOFTENED WATER ACCORDING TO ITS HARDNESS						
°f	20	30	40	50	60	CYCLIC CAPACITY [m <sup>3</sup> .°f]
°d	11	16	22	28	33	
ppm CaCO <sub>3</sub>	200	300	400	500	600	
	2520	1680	1260	1008	840	50.4

### THE WATER SOFTENER IS SUITED FOR:



# Technical data sheet



## Product benefits

### Manual water softener double tap 12 l

<b>Model</b>	<b>SAP Code</b>	00002198
LT 12	<b>A group of articles - web</b>	Water softeners

1

#### All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

#### Regeneration of the softener is done only with salt

light regeneration with salt

- no complex operators are required, regeneration can be handled by trained operators

# Technical data sheet



Technical parameters

## Manual water softener double tap 12 l

<b>Model</b>	<b>SAP Code</b>	00002198
LT 12	<b>A group of articles - web</b>	Water softeners

**1. SAP Code:**

00002198

**2. Net Width [mm]:**

190

**3. Net Depth [mm]:**

255

**4. Net Height [mm]:**

515

**5. Net Weight [kg]:**

12.00

**6. Gross Width [mm]:**

200

**7. Gross depth [mm]:**

200

**8. Gross Height [mm]:**

550

**9. Gross Weight [kg]:**

13.00

**10. Device type:**

Neutral unit

**11. Material:**

Stainless steel

**12. Inlet pressure [bar]:**

2-8

**13. Resin capacity:**

8.40

**14. Additional information:**

The consumption for 1 regeneration cycle is 1,5kg of salt and 80-90l of water.