

Technical data sheet

Product features



Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5" 400 V left door

Model	SAP Code	00014029
MSDBD 0611 EL	A group of articles - web	Convection machines



- Steam type: Injection
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 40
- Control type: Touchscreen + buttons
- Display size: 5"
- Humidity control: Yes, indirect measuring
- Advanced moisture adjustment: No
- Delta T heat preparation: Yes
- Multi level cooking: Drawer program - control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning

SAP Code	00014029	Steam type	Injection
Net Width [mm]	803	Number of GN / EN	6
Net Depth [mm]	519	GN / EN size in device	GN 1/1
Net Height [mm]	770	GN device depth	40
Net Weight [kg]	92.00	Control type	Touchscreen + buttons
Power electric [kW]	13.800	Display size	5"
Loading	400 V / 3N - 50 Hz		


Technical data sheet

Technical drawing



Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5" 400 V left door

Model	SAP Code	00014029
MSDBD 0611 EL	A group of articles - web	Convection machines



Technical data sheet

Technical parameters



Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5" 400 V left door

Model	SAP Code	00014029
MSDBD 0611 EL	A group of articles - web	Convection machines

1. SAP Code:

00014029

2. Net Width [mm]:

803

3. Net Depth [mm]:

519

4. Net Height [mm]:

770

5. Net Weight [kg]:

92.00

6. Gross Width [mm]:

580

7. Gross depth [mm]:

920

8. Gross Height [mm]:

980

9. Gross Weight [kg]:

104.00

10. Device type:

Electric unit

11. Power electric [kW]:

13.800

12. Loading:

400 V / 3N - 50 Hz

13. Material:

AISI 304

27. Detergent type:

Liquid washing detergent + water rinse

14. Exterior color of the device:

Stainless steel

15. Humidity control:

Yes, indirect measuring

16. Stacking availability:

Yes

17. Control type:

Touchscreen + buttons

18. Additional information:

possibility of reverse door opening - handle on the right side (must be specified when ordering)

19. Steam type:

Injection

20. Chimney for moisture extraction:

Yes

21. Delayed start:

Yes

22. Display size:

5"

23. Delta T heat preparation:

Yes

24. Unified finishing of meals EasyService:

Yes

25. Night cooking:

Yes

26. Washing system:

Open

42. Low temperature heat treatment:

Yes

Technical data sheet

Technical parameters



Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5" 400 V left door

Model	SAP Code	00014029
MSDBD 0611 EL	A group of articles - web	Convection machines

28. Multi level cooking:

Drawer program - control of heat treatment for each dish separately

29. Advanced moisture adjustment:

No

30. Slow cooking:

from 50 °C

31. Fan stop:

Interruption when door is opened, not braked

32. Lighting type:

LED lighting in the door, on one side

33. Cavity material and shape:

AISI 304, with rounded corners for easy cleaning

34. Reversible fan:

Yes

35. Sustaine box:

Yes

36. Heating element material:

Incoloy

37. Probe:

Optional

38. Shower:

Manual (optional)

39. Distance between the layers [mm]:

30

40. Smoke-dry function:

Yes

41. Interior lighting:

Yes

43. Number of fans:

1

44. Number of fan speeds:

3

45. Number of programs:

1000

46. USB port:

Yes, for uploading recipes and updating firmware

47. Door constitution:

Vented safety double glass, removable for easy cleaning

48. Number of preset programs:

100

49. Number of recipe steps:

9

50. Minimum device temperature [°C]:

50

51. Maximum device temperature [°C]:

300

52. Device heating type:

Combination of steam and hot air

53. HACCP:

Yes

54. Number of GN / EN:

6

55. GN / EN size in device:

GN 1/1

56. GN device depth:

40

Technical data sheet

Technical parameters



Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5" 400 V left door

Model	SAP Code	00014029
MSDBD 0611 EL	A group of articles - web	Convection machines

57. Food regeneration:

Yes

59. Diameter nominal:

DN 50

58. Cross-section of conductors CU [mm²]:

4

60. Water supply connection:

3/4"