

Technical data sheet

Product features



Manual water softener double tap 20 l

Model	SAP Code	00002200
LT 20	A group of articles - web	Water softeners



- Resin capacity: 14.00
- Inlet pressure [bar]: 2-8
- Material: Stainless steel

SAP Code	00002200	Net Height [mm]	915
Net Width [mm]	190	Net Weight [kg]	16.00
Net Depth [mm]	255	Resin capacity	14.00


Technical data sheet

Technical drawing



Manual water softener double tap 20 l

Model	SAP Code	00002200
LT 20	A group of articles - web	Water softeners



TECHNICAL DATA

Height . . . A mm 900
Weight Kg 19
Supply water pressure min 1 bar, max 8 bar
Maximum flow rate recommended . . . 1000 l/h
Room temperature min 4°C - max 25°C
Salt content per regeneration 2,5 kg

SUPPLY WATER CHARACTERISTICS

- Drinking water
- Temperature: min 4°C - max 25°C
- Crystal-clear water (SDI 1)
- Maximum hardness 90°f

THE PACKAGING CONTAINS:

- 1 steel AISI 304 cylinder holding 20 litres
- 14 litres of cationic resins adapt for softening
- 1 instruction manual
- 1 unloading pipe

LITRES OF SOFTENED WATER ACCORDING TO ITS HARDNESS						
°f	20	30	40	50	60	CYCLIC
°d	11	16	22	28	33	CAPACITY
ppm CaCO ₃	200	300	400	500	600	[m ³ ·°f]
	4200	2800	2100	1680	1400	84.0

THE WATER SOFTENER IS SUITED FOR:



Technical data sheet



Product benefits

Manual water softener double tap 20 l

Model	SAP Code	00002200
LT 20	A group of articles - web	Water softeners

1

All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

Regeneration of the softener is done only with salt

light regeneration with salt

- no complex operators are required, regeneration can be handled by trained operators

Technical data sheet

Technical parameters



Manual water softener double tap 20 l

Model	SAP Code	00002200
LT 20	A group of articles - web	Water softeners

1. SAP Code:

00002200

2. Net Width [mm]:

190

3. Net Depth [mm]:

255

4. Net Height [mm]:

915

5. Net Weight [kg]:

16.00

6. Gross Width [mm]:

200

7. Gross depth [mm]:

200

8. Gross Height [mm]:

950

9. Gross Weight [kg]:

17.00

10. Device type:

Neutral unit

11. Material:

Stainless steel

12. Inlet pressure [bar]:

2-8

13. Resin capacity:

14.00

14. Additional information:

The consumption for 1 regeneration cycle is 2,5kg of salt and 110-120l of water.