Technical data sheet

Product features

Cooling counter GN 1/1 2x door 230 V / 1N		
Model	**SAP Code**	00003805
RT 2D	**A group of articles - web**	Cooling and freezing tables



- Material: Stainless steel
- GN / EN size in device: GN 1/1
- Number of GN / EN: 2
- Number of doors: 2
- Control type: Digital
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 8
- Max ambient temperature [°C]: 43
- Insulation thickness [mm]: 50
- Unit: Right


SAP Code	00003805	**Number of doors**	2
Net Width [mm]	1342	**Number of GN / EN**	2
Net Depth [mm]	700	**GN / EN size in device**	GN 1/1
Net Height [mm]	900	**Minimum device temperature [°C]**	-2
Net Weight [kg]	92.00	**Maximum device temperature [°C]**	8
Power electric [kW]	0.247	**Refrigerant**	R290
Loading	230 V / 1N - 50 Hz	**Refrigerant weight [g]**	105.00
Energy class	C	**Climate class**	4
Chamber volume [l]	274		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooling counter GN 1/1 2x door 230 V / 1N		
Model	**SAP Code**	00003805
RT 2D	**A group of articles - web**	Cooling and freezing tables



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooling counter GN 1/1 2x door 230 V / 1N		
Model	**SAP Code**	00003805
RT 2D	**A group of articles - web**	Cooling and freezing tables

1 **Insulation 50 mm**

minimal heat loss

- saving electricity
- less wear and tear on the compressor due to less frequent switching

2 **Socket block**

1/2+1/2 drawers can be placed instead of doors

- more efficient food storage and less heat leakage

3 **Boiled sink**

possibility to install a hygienic sink above the unit

- making the working environment more efficient, ensuring hygiene regulations

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooling counter GN 1/1 2x door 230 V / 1N		
Model	**SAP Code**	00003805
RT 2D	**A group of articles - web**	Cooling and freezing tables

1. **SAP Code:**
   00003805
2. **Net Width [mm]:**
   1342
3. **Net Depth [mm]:**
   700
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   92.00
6. **Gross Width [mm]:**
   1420
7. **Gross depth [mm]:**
   820
8. **Gross Height [mm]:**
   1085
9. **Gross Weight [kg]:**
   105.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.247
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Energy class:**
    C
14. **Refrigerant:**
    R290
15. **Cooling type:**
    Dinamic
16. **Material:**
    Stainless steel
17. **Min ambient temperature [°C]:**
    10
18. **Max ambient temperature [°C]:**
    43
19. **Device properties 2:**
    Cooling
20. **GN / EN size in device:**
    GN 1/1
21. **Number of GN / EN:**
    2
22. **Chamber volume [l]:**
    274
23. **Adjustable feet:**
    Yes
24. **Insulation thickness [mm]:**
    50
25. **Number of doors:**
    2
26. **Unit:**
    Right
27. **Control type:**
    Digital
28. **HACCP:**
    Yes

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooling counter GN 1/1 2x door 230 V / 1N		
Model	**SAP Code**	00003805
RT 2D	**A group of articles - web**	Cooling and freezing tables

29. Minimum device temperature [°C]:
-2

30. Maximum device temperature [°C]:
8

31. Refrigerant weight [g]:
105.00

32. Gross Volume [m3]:
1.263

33. Net Volume [m3]:
0.845

34. Climate class:
4

35. Cross-section of conductors CU [mm²]:
0,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062