

Technical data sheet



Product features

Convection oven electric 20x GN 1/1 Spray, touch color display, right door

Model	SAP Code	00020601
MPD 2011 ERAM	A group of articles - web	Convection machines



- Steam type: Injection
- Number of GN / EN: 20
- GN / EN size in device: GN 1/1, EN 600x400
- Control type: Touchscreen + buttons
- Advanced moisture adjustment: Supersteam - two steam saturation modes
- Delta T heat preparation: Yes
- Multi level cooking: No
- Door constitution: Vented safety double glass, removable for easy cleaning

SAP Code	00020601	Loading	400 V / 3N - 50 Hz
Net Width [mm]	995	Steam type	Injection
Net Depth [mm]	835	Number of GN / EN	20
Net Height [mm]	1850	GN / EN size in device	GN 1/1, EN 600x400
Net Weight [kg]	260.00	Control type	Touchscreen + buttons
Power electric [kW]	31.000		


Technical data sheet



Technical drawing

Convection oven electric 20x GN 1/1 Spray, touch color display, right door

Model	SAP Code	00020601
MPD 2011 ERAM	A group of articles - web	Convection machines



Technical data sheet



Product benefits

Convection oven electric 20x GN 1/1 Spray, touch color display, right door

Model	SAP Code	00020601
MPD 2011 ERAM	A group of articles - web	Convection machines

- 1 Rapid chamber ventilation system**
 - quick ventilation of odors
 - saving time and costs
- 2 Double glazed ventilation doors (panels can be opened)**
 - easy to clean and wash
 - facilitating human work and strength - happier staff
- 3 LED cooking chamber lighting**
 - overview inside the combi oven
 - saving time and costs, when we do not open the convection oven, hot air does not escape
- 4 Boiling chamber AISI 304 with curved corners**
 - easy to clean and wash
 - facilitating human work and strength - happier staff
- 5 Height adjustable feet**
 - traffic variability
 - height adjustment option
- 6 Control with a single button**
 - simplicity
 - time savings; facilitating human work and strength - happier staff
- 7 Carriage**
 - cooks and handles up to 20 GN at a time
 - low operating costs, saving time and money
- 8 Preset cooking programs**
 - the possibility of controlling 9 cooking phases for each of them
 - saving time and costs
- 9 One Touch cooking mode**
 - immediate start of the cooking cycle "with one touch of the program"
 - saving time and costs
- 10 Easy service**
 - the possibility of cooking different dishes at the same time
 - saving time and costs
- 11 Super Steam**
 - possibility to set 2 levels of humidity
 - tasty balanced meals
- 12 Hold function**
 - possibility of keeping food warm, immediate serving
 - saving time and costs
- 13 Regenerative function**
 - food regeneration
 - tasty and more valuable food, nice appearance of the dish,
- 14 Rack control**
 - the possibility of serving all dishes at the same time in one place
 - saving time and costs

Technical data sheet



Technical parameters

Convection oven electric 20x GN 1/1 Spray, touch color display, right door

Model	SAP Code	00020601
MPD 2011 ERAM	A group of articles - web	Convection machines

1. SAP Code:

00020601

2. Net Width [mm]:

995

3. Net Depth [mm]:

835

4. Net Height [mm]:

1850

5. Net Weight [kg]:

260.00

6. Gross Width [mm]:

1150

7. Gross depth [mm]:

1050

8. Gross Height [mm]:

2100

9. Gross Weight [kg]:

290.00

10. Device type:

Electric unit

11. Power electric [kW]:

31.000

12. Loading:

400 V / 3N - 50 Hz

13. Material:

AISI 304

14. Exterior color of the device:

Stainless steel

15. Width of internal part [mm]:

480

16. Depth of internal part [mm]:

660

17. Height of internal part [mm]:

1430

18. Adjustable feet:

Yes

19. Control type:

Touchscreen + buttons

20. Additional information:

No possibility of reverse door opening (handle on the right)

21. Steam type:

Injection

22. Delta T heat preparation:

Yes

23. Unified finishing of meals EasyService:

Yes

24. Detergent type:

Liquid washing detergent + water rinse

25. Multi level cooking:

No

26. Advanced moisture adjustment:

Supersteam - two steam saturation modes

27. Slow cooking:

from 50 °C

28. Fan stop:

Immediate when the door is opened

Technical data sheet



Technical parameters

Convection oven electric 20x GN 1/1 Spray, touch color display, right door

Model	SAP Code	00020601
MPD 2011 ERAM	A group of articles - web	Convection machines

29. Lighting type:

LED

30. Cavity material and shape:

AISI 304, with rounded corners for easy cleaning

31. Sustance box:

Yes

32. Standard equipment for device:

Core probe
Retractable hand shower
Automatic washing system (Liquid detergent)
Trolley
Wi-Fi

33. Heating element material:

Incoloy

34. Shower:

Pull-out

35. Distance between the layers [mm]:

65

36. Number of fans:

1

37. Number of fan speeds:

6

38. USB port:

Yes, for uploading recipes and updating firmware

39. Door constitution:

Vented safety double glass, removable for easy cleaning

40. Number of recipe steps:

9

41. Device heating type:

Combination of steam and hot air

42. Number of GN / EN:

20

43. GN / EN size in device:

GN 1/1, EN 600x400

44. Food regeneration:

Yes

45. Cross-section of conductors CU [mm²]:

16

46. Diameter nominal:

DN 50

47. Water supply connection:

3/4"