Technical data sheet

Product features

Smooth grill board durable chrom with digital timer 230 V / 1N		
Model	**SAP Code**	00021135
FTHC 30 ED	**A group of articles - web**	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 320 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome

SAP Code	00021135	**Power electric [kW]**	3.000
Net Width [mm]	330	**Loading**	230 V / 1N - 50 Hz
Net Depth [mm]	654	**Griddle dimensions [mm x mm]**	320 x 480
Net Height [mm]	285	**Top type**	Smooth
Net Weight [kg]	23.70		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Smooth grill board durable chrom with digital timer 230 V / 1N		
Model	**SAP Code**	00021135
FTHC 30 ED	**A group of articles - web**	Grills and grill plates

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Smooth grill board durable chrom with digital timer 230 V / 1N		
Model	**SAP Code**	00021135
FTHC 30 ED	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00021135
2. **Net Width [mm]:**
   330
3. **Net Depth [mm]:**
   654
4. **Net Height [mm]:**
   285
5. **Net Weight [kg]:**
   23.70
6. **Gross Width [mm]:**
   375
7. **Gross depth [mm]:**
   640
8. **Gross Height [mm]:**
   320
9. **Gross Weight [kg]:**
   26.70
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    3.000
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Exterior color of the device:**
    Stainless steel
15. **Material:**
    AISI 430
16. **Surface finish:**
    durable chrome
17. **Maximum device temperature [°C]:**
    300
18. **Minimum device temperature [°C]:**
    50
19. **Griddle dimensions [mm x mm]:**
    320 x 480
20. **Griddle thickness [mm]:**
    10.00
21. **Container for liquid fat:**
    Yes
22. **Top type:**
    Smooth
23. **Cross-section of conductors CU [mm²]:**
    0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062