

# Technical data sheet

## Product features



### Cooking range electric 6x plate on open cabinet 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110096 |
| SP 70/120 E  | <b>A group of articles - web</b> | Stoves   |



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 6x hotplates 2.6 kW ø 220 mm
- Power consumption of the zone 2 [kW]: 2,6
- Power consumption of the zone 3 [kW]: 2,6
- Power consumption of the zone 4 [kW]: 2,6
- Power consumption of the zone 5 [kW]: 2,6
- Power consumption of the zone 6 [kW]: 2,6
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding

|                            |                    |                                             |                              |
|----------------------------|--------------------|---------------------------------------------|------------------------------|
| <b>SAP Code</b>            | 00110096           | <b>Power consumption of the zone 1 [kW]</b> | 6x hotplates 2.6 kW ø 220 mm |
| <b>Net Width [mm]</b>      | 1200               | <b>Power consumption of the zone 2 [kW]</b> | 2,6                          |
| <b>Net Depth [mm]</b>      | 700                | <b>Power consumption of the zone 3 [kW]</b> | 2,6                          |
| <b>Net Height [mm]</b>     | 900                | <b>Power consumption of the zone 4 [kW]</b> | 2,6                          |
| <b>Net Weight [kg]</b>     | 80.00              | <b>Power consumption of the zone 5 [kW]</b> | 2,6                          |
| <b>Power electric [kW]</b> | 15.600             | <b>Power consumption of the zone 6 [kW]</b> | 2,6                          |
| <b>Loading</b>             | 400 V / 3N - 50 Hz | <b>Diameter of device [mm]</b>              | 220                          |
| <b>Number of zones</b>     | 6                  |                                             |                              |


# Technical data sheet

Technical drawing



Cooking range electric 6x plate on open cabinet 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110096 |
| SP 70/120 E  | <b>A group of articles - web</b> | Stoves   |



# Technical data sheet



## Product benefits

### Cooking range electric 6x plate on open cabinet 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110096 |
| SP 70/120 E  | <b>A group of articles - web</b> | Stoves   |

1

#### Round plates

- quick warm-up
- efficient cooking on a round surface with easy adhesion to dishes
  - time-saving in food preparation
  - easy to use thanks to the large surface area of the cooking plates

2

#### Internal thermostatic plate protection

- longer service life of the plates
  - no overheating of the plates and no cracking

3

#### Degree of protection of the control elements IPX4

- maintenance-free system
- resistance to splash water
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

4

#### All-stainless design

- long life
- resistance of a ground steel plate with a thickness of 10 mm
  - savings on service interventions
  - higher corrosion resistance

5

#### Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
- smooth transitions
  - easy quick cleaning

6

#### Variability

- the possibility of adding to the current line
- easy possibility of creating one module
- long life
  - cost saving
  - space saving
  - long service life

# Technical data sheet



## Technical parameters

### Cooking range electric 6x plate on open cabinet 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110096 |
| SP 70/120 E  | <b>A group of articles - web</b> | Stoves   |

**1. SAP Code:**

00110096

**2. Net Width [mm]:**

1200

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

80.00

**6. Gross Width [mm]:**

1240

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

975

**9. Gross Weight [kg]:**

96.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

With substructure

**12. Power electric [kW]:**

15.600

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 304 top plate, AISI 430 cladding

**16. Worktop type:**

Molded - comfortable cleaning maintenance

**17. Worktop material:**

AISI 304

**18. Worktop Thickness [mm]:**

1.20

**19. Number of zones:**

6

**20. Power consumption of the zone 1 [kW]:**

6x hotplates 2.6 kW ø 220 mm

**21. Power consumption of the zone 2 [kW]:**

2,6

**22. Power consumption of the zone 3 [kW]:**

2,6

**23. Power consumption of the zone 4 [kW]:**

2,6

**24. Power consumption of the zone 5 [kW]:**

2,6

**25. Power consumption of the zone 6 [kW]:**

2,6

**26. Number of power control stages:**

6

**27. Service accessibility:**

Trough the frontal panel

**28. Safety element:**

internal thermostatic protection of the hotplate against overheating

# Technical data sheet

Technical parameters



## Cooking range electric 6x plate on open cabinet 400 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110096 |
| SP 70/120 E  | <b>A group of articles - web</b> | Stoves   |

### 29. Adjustable feet:

Yes

### 30. Number of burners/hot plates:

6

### 31. Diameter of device [mm]:

220

### 32. Type of electric cooking zones:

Oval

### 33. Cross-section of conductors CU [mm<sup>2</sup>]:

5