

Technical data sheet



Product features

Cooling cabinet 437 l GN 2/1, stainless steel, left door

Model	SAP Code	00006111
RT 700 L	A group of articles - web	Refrigeration and freezer cabinets



- GN / EN size in device: GN 2/1
- Chamber volume [l]: 437
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 8
- Insulation thickness [mm]: 50
- Control type: Digital
- Interior lighting: No
- Opening of device: Hinges on the left
- Automatic defrost: Yes
- Annual energy consumption [kWh]: 986

SAP Code	00006111	Gross Volume [m3]	1.279
Net Width [mm]	693	Net Volume [m3]	1.149
Net Depth [mm]	826	Number of GN / EN	3
Net Height [mm]	2008	GN / EN size in device	GN 2/1
Net Weight [kg]	110.00	Minimum device temperature [°C]	-2
Power electric [kW]	0.227	Maximum device temperature [°C]	8
Loading	230 V / 1N - 50 Hz	Refrigerant	R290
Energy class	D	Refrigerant weight [g]	80.00
Chamber volume [l]	437	Climate class	4


Technical data sheet



Technical drawing

Cooling cabinet 437 l GN 2/1, stainless steel, left door

Model	SAP Code	00006111
RT 700 L	A group of articles - web	Refrigeration and freezer cabinets



Technical data sheet



Product benefits

Cooling cabinet 437 l GN 2/1, stainless steel, left door

Model	SAP Code	00006111
RT 700 L	A group of articles - web	Refrigeration and freezer cabinets

1

Insulation 60mm

- minimal heat loss
- saving electricity
 - less wear and tear on the compressor due to less frequent switching

2

Two-sided opening

- possibility to change the opening from the right to the left side
- greater variability of use

3

All-stainless design

- outer shell
only stainless steel intended for food contact is used
good maintenance
zero contamination
resists even weaker acids
- long service life and high durability

4

Automatic defrosting

- maintenance-free operation
continuous defrosting
- zero requirement for frost control by the operator

5

Height adjustable feet

- maintenance-free operation
continuous defrosting
- precise positioning of the fridge in uneven floors, ensures correct operation of the unit thanks to the balance

Technical data sheet



Technical parameters

Cooling cabinet 437 l GN 2/1, stainless steel, left door

Model	SAP Code	00006111
RT 700 L	A group of articles - web	Refrigeration and freezer cabinets

1. SAP Code:

00006111

2. Net Width [mm]:

693

3. Net Depth [mm]:

826

4. Net Height [mm]:

2008

5. Net Weight [kg]:

110.00

6. Gross Width [mm]:

700

7. Gross depth [mm]:

850

8. Gross Height [mm]:

2150

9. Gross Weight [kg]:

149.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.227

12. Loading:

230 V / 1N - 50 Hz

13. Energy class:

D

14. Refrigerant:

R290

15. Cooling type:

Dinamic

16. Material:

Stainless steel

17. Min ambient temperature [°C]:

10

18. Max ambient temperature [°C]:

43

19. Device properties 2:

Cooling

20. GN / EN size in device:

GN 2/1

21. Number of GN / EN:

3

22. Chamber volume [l]:

437

23. Gross Volume [m3]:

1.279

24. Net Volume [m3]:

1.149

25. Standard equipment for device:

3 plastic-coated grids GN 2/1 - load capacity 40 kg/grid

26. Adjustable feet:

Yes

27. Insulation thickness [mm]:

50

28. Opening of device:

Hinges on the left

Technical data sheet



Technical parameters

Cooling cabinet 437 l GN 2/1, stainless steel, left door

Model	SAP Code	00006111
RT 700 L	A group of articles - web	Refrigeration and freezer cabinets

29. Number of doors:

1

30. Unit:

Yes

31. Control type:

Digital

32. Interior lighting:

No

33. Annual energy consumption [kWh]:

986

34. Minimum device temperature [°C]:

-2

35. Maximum device temperature [°C]:

8

36. Automatic defrost:

Yes

37. Defrosting cycle:

Yes

38. Refrigerant weight [g]:

80.00

39. Number of grids:

3

40. Climate class:

4

41. Cross-section of conductors CU [mm²]:

0,5