# Technical data sheet

Product features

| Cooling display 8x GN 1/3 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013366 |
| MCH 3180 | **A group of articles - web** | Cooling and freezing tables |



- Material: Stainless steel
- GN / EN size in device: GN 1/3
- Number of GN / EN: 8
- Control type: Digital
- Minimum device temperature [°C]: 2
- Maximum device temperature [°C]: 8
- Insulation thickness [mm]: 40
- Unit: Right

| | | | |
|---|---|---|---|
| **SAP Code** | 00013366 | **Number of GN / EN** | 8 |
| **Net Width [mm]** | 1800 | **GN / EN size in device** | GN 1/3 |
| **Net Depth [mm]** | 395 | **GN device depth** | 150 |
| **Net Height [mm]** | 427 | **Minimum device temperature [°C]** | 2 |
| **Net Weight [kg]** | 55.00 | **Maximum device temperature [°C]** | 8 |
| **Power electric [kW]** | 0.180 | **Refrigerant** | R290 |
| **Loading** | 230 V / 1N - 50 Hz | **Refrigerant weight [g]** | 38.00 |
| **Chamber volume [l]** | 68 | **Climate class** | 4 |




RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


# Technical data sheet

Technical drawing

| Cooling display 8x GN 1/3 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013366 |
| MCH 3180 | **A group of articles - web** | Cooling and freezing tables |

| | L |
|---|---|
| MCH3120/MCH4120 | 1200 |
| MCH3140/MCH4140 | 1400 |
| MCH3150/MCH4150 | 1500 |
| MCH3160/MCH4160 | 1600 |
| MCH3180/MCH4180 | 1800 |
| MCH4200 | 2000 |








RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Cooling display 8x GN 1/3 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013366 |
| MCH 3180 | **A group of articles - web** | Cooling and freezing tables |

1. **SAP Code:**
   00013366
2. **Net Width [mm]:**
   1800
3. **Net Depth [mm]:**
   395
4. **Net Height [mm]:**
   427
5. **Net Weight [kg]:**
   55.00
6. **Gross Width [mm]:**
   1890
7. **Gross depth [mm]:**
   435
8. **Gross Height [mm]:**
   310
9. **Gross Weight [kg]:**
   60.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.180
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Refrigerant:**
    R290
14. **Cooling type:**
    Static
15. **Material:**
    Stainless steel
16. **Exterior color of the device:**
    Stainless steel
17. **Additional information:**
    GN are not included
18. **Device properties 2:**
    Cooling
19. **GN / EN size in device:**
    GN 1/3
20. **Number of internal parts:**
    8
21. **Number of GN / EN:**
    8
22. **GN device depth:**
    150
23. **Chamber volume [l]:**
    68
24. **Insulation thickness [mm]:**
    40
25. **Unit:**
    Right
26. **Control type:**
    Digital
27. **Minimum device temperature [°C]:**
    2
28. **Maximum device temperature [°C]:**
    8



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Cooling display 8x GN 1/3 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00013366 |
| MCH 3180 | **A group of articles - web** | Cooling and freezing tables |

**29. Refrigerant weight [g]:**
38.00

**30. Gross Volume [m3]:**
0.255

**31. Net Volume [m3]:**
0.304

**32. Climate class:**
4

**33. Cross-section of conductors CU [mm²]:**
0,5



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062