

Technical data sheet

Product features



Electric grill water direct 31x48 counter top 400 V

Model	SAP Code	00011360
GV 30 ET	A group of articles - web	Grills and grill plates



– Removable rim: Yes

SAP Code	00011360	Net Weight [kg]	11.00
Net Width [mm]	380	Power electric [kW]	4.080
Net Depth [mm]	665	Loading	400 V / 3N - 50 Hz
Net Height [mm]	485		

Technical data sheet



Product benefits

Electric grill water direct 31x48 counter top 400 V

Model	SAP Code	00011360
GV 30 ET	A group of articles - web	Grills and grill plates

1

All-stainless design

long life
resistance of AISI 304 stainless steel material
the material does not cut

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

3

Special shape of the grates

ensures that the oil drips directly into the water bath
instead of onto the heater

4

High detachable hem

better hygienic conditions
preventing grease from splashing onto
ancillary equipment

5

Removable water container

easy cleaning from food residues
removes fat burning and thus carcinogenic substances

Technical data sheet

Technical parameters



Electric grill water direct 31x48 counter top 400 V

Model	SAP Code	00011360
GV 30 ET	A group of articles - web	Grills and grill plates

1. SAP Code:

00011360

2. Net Width [mm]:

380

3. Net Depth [mm]:

665

4. Net Height [mm]:

485

5. Net Weight [kg]:

11.00

6. Gross Width [mm]:

380

7. Gross depth [mm]:

665

8. Gross Height [mm]:

485

9. Gross Weight [kg]:

13.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

4.080

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX4

15. Material:

Stainless steel

16. Indicators:

operation and warm-up

17. Device heating type:

Direct

18. Standard equipment for device:

stainless steel scraper for cleaning

19. Number of power control stages:

6

20. Grid material:

Stainless steel

21. Removable rim:

Yes

22. Grid shape:

the grid made up of flat heaters allows food to be placed directly on it, the fat from the food flows under the heaters into the water bath

23. Cross-section of conductors CU [mm²]:

1