Technical data sheet

Product features

Conveyor toaster 2x holders 230 V / 1N		
Model	**SAP Code**	00004520
TN 30	**A group of articles - web**	Toasters



- Material: Stainless steel
- Indicators: operation and warm-up
- Removable rear wall of the device: Yes
- Width of internal part [mm]: 305
- Depth of internal part [mm]: 500
- Heating location: Upper and lower

SAP Code	00004520	**Net Weight [kg]**	21.00
Net Width [mm]	490	**Power electric [kW]**	3.200
Net Depth [mm]	540	**Loading**	230 V / 1N - 50 Hz
Net Height [mm]	400		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Conveyor toaster 2x holders 230 V / 1N		
Model	**SAP Code**	00004520
TN 30	**A group of articles - web**	Toasters

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Conveyor toaster 2x holders 230 V / 1N		
Model	**SAP Code**	00004520
TN 30	**A group of articles - web**	Toasters

1 **All-stainless design**

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2 **Run and warm-up light**

optical possibility to check the status of the device

- the operator immediately knows the on/off, heating/ non-heating state of the appliance

3 **Separate control for individual sections**

the possibility of a heating system separately

- greater variability of use

4 **Catch container for breadcrumbs**

breadcrumbs fall outside the furnace

- no crumbs falling off

5 **Removable back wall**

delete all

- possibility to open the back wall of the device
- possible filling of the equipment by the operator

6 **Continuous toaster**

automatic toast advance

- greater capacity

7 **Silicon heaters**

immediate onset of heat
intense radiant heat

- the device can be switched off even during the operating day
- toasted food vigorously and without overheating inside
- faster food preparation

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Conveyor toaster 2x holders 230 V / 1N		
Model	**SAP Code**	00004520
TN 30	**A group of articles - web**	Toasters

1. **SAP Code:**
   00004520
2. **Net Width [mm]:**
   490
3. **Net Depth [mm]:**
   540
4. **Net Height [mm]:**
   400
5. **Net Weight [kg]:**
   21.00
6. **Gross Width [mm]:**
   515
7. **Gross depth [mm]:**
   750
8. **Gross Height [mm]:**
   440
9. **Gross Weight [kg]:**
   22.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Material:**
    Stainless steel
13. **Power electric [kW]:**
    3.200
14. **Loading:**
    230 V / 1N - 50 Hz
15. **Heating element material:**
    Silicon tube
16. **Protection of controls:**
    IPX4
17. **Toasting time:**
    100
18. **Removable rear wall of the device:**
    Yes
19. **Indicators:**
    operation and warm-up
20. **Width of internal part [mm]:**
    305
21. **Depth of internal part [mm]:**
    500
22. **Heating location:**
    Upper and lower
23. **Cross-section of conductors CU [mm²]:**
    0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062