

Technical data sheet



Product features

Induction cooker table electric with digital control

Model	SAP Code	00038011
RIB 35 T	A group of articles - web	Microwaves

– Control type: Digital



SAP Code	00038011	Net Weight [kg]	7.00
Net Width [mm]	328	Power electric [kW]	3.500
Net Depth [mm]	475	Loading	230 V / 1N - 50 Hz
Net Height [mm]	110		

Technical data sheet




Technical drawing

Induction cooker table electric with digital control

Model	SAP Code	00038011
RIB 35 T	A group of articles - web	Microwaves

2024-02-15



1

www.rmgastro.com

Technical data sheet



Product benefits

Induction cooker table electric with digital control

Model	SAP Code	00038011
RIB 35 T	A group of articles - web	Microwaves

1

Tabletop device

simple handling, a device suitable for all operations

- variability of use; easy to move, can be placed anywhere on the table; saving space or purchasing costs for other equipment

2

Glass cooking surface

easy cleaning

- saving time and human energy

3

Safety lock

increased operational safety

- safer operation

4

Touch control

simple operation and touch control

- saving time and human energy when cooking

5

Automatic safety shut-off

if the temperature of the bottom of the cookware is too high, the power is turned off.

- higher operational safety, preventing damage, injury or fire

6

Overcooking time detector

if the pot is left on the induction hob for more than 2 hours or if the user does not use any functions for more than 2 hours, the hob is automatically turned off.

- higher operational safety, preventing damage, injury or fire

7

Integrated circuit automatic reset device

the main control microprocessor is equipped with a monitoring device that automatically resets itself if the software program fails.

- more convenient servicing, saving time, costs and energy for possible servicing

8

2-step start

safety feature regulated by legislation

- legislatively compliant safety element - increases operational safety

9

For best results, use pots with a diameter of 12 to 26 cm.

high variability of use of different diameters of pots, pans and saucepans

- saving purchasing costs regarding the size of pots and pans - it is possible to cook in containers of different sizes

10

Material compatibility detector

if the induction unit is switched on for more than 60 seconds without a pot or with an incompatible pot, the unit will automatically switch off.

- higher operational safety, preventing injuries and fires

11

Small object detector

if the material of the pan or pot or its dimensions are not suitable for the induction unit, the power indicator will not light up. The induction unit will not recognize any objects or utensils smaller than 5 cm in diameter.

- higher operational safety, preventing injuries, damage or damage and fires

12

Suitable for iron, cast iron, stainless steel, enameled pots and pans with a flat magnetic bottom.

possibility of using cookware made of a wide range of materials

- saving purchasing costs - different materials of cooking containers can be used

13

Possibility of pairing with a temperature probe

remote display of real-time values

- greater precision and convenience when cooking

Technical data sheet



Technical parameters

Induction cooker table electric with digital control

Model	SAP Code	00038011
RIB 35 T	A group of articles - web	Microwaves

1. SAP Code:

00038011

2. Net Width [mm]:

328

3. Net Depth [mm]:

475

4. Net Height [mm]:

110

5. Net Weight [kg]:

7.00

6. Gross Width [mm]:

460

7. Gross depth [mm]:

570

8. Gross Height [mm]:

220

9. Gross Weight [kg]:

8.52

10. Device type:

Electric unit

11. Material:

AISI 304

12. Power electric [kW]:

3.500

13. Loading:

230 V / 1N - 50 Hz

14. Control type:

Digital

15. Cross-section of conductors CU [mm²]:

0,75