Technical data sheet

Product features

Tilting bratt pan electric motorized tilting 400 V / 3N		
Model	**SAP Code**	00007395
BRM 90/80 E	**A group of articles - web**	Pans



- Bottom material: Steel
- Bottom thickness: 12.00
- Basin volume [l]: 80
- Usable volume [l]: 80
- Tilting: Motorised
- Filling : Mechanical cock
- Type of pan: Tillting
- Basin shape: Practically shaped bathtub spout to minimize spillage
- Protection of controls: IPX4
- Basin dimensions [mm x mm x mm]: 721 x 564 x 225


SAP Code	00007395	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	800	**Bottom material**	Steel
Net Depth [mm]	900	**Basin volume [l]**	80
Net Height [mm]	900	**Usable volume [l]**	80
Net Weight [kg]	162.00	**Tilting**	Motorised
Power electric [kW]	15.000		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Tilting bratt pan electric motorized tilting 400 V / 3N		
Model	**SAP Code**	00007395
BRM 90/80 E	**A group of articles - web**	Pans





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan electric motorized tilting 400 V / 3N		
Model	**SAP Code**	00007395
BRM 90/80 E	**A group of articles - web**	Pans

1. **SAP Code:**
   00007395
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   900
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   162.00
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   970
8. **Gross Height [mm]:**
   1160
9. **Gross Weight [kg]:**
   182.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    15.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 304 top plate, AISI 430 cladding
17. **Indicators:**
    operation and warm-up
18. **Worktop material:**
    AISI 304
19. **Basin volume [l]:**
    80
20. **Basin dimensions [mm x mm x mm]:**
    721 x 564 x 225
21. **Volume capacity of the container [l]:**
    80.00
22. **Maximum device temperature [°C]:**
    300
23. **Minimum device temperature [°C]:**
    50
24. **Safety thermostat:**
    Yes
25. **Safety thermostat up to x ° C:**
    360
26. **Adjustable feet:**
    Yes
27. **Tilting:**
    Motorised
28. **Bottom thickness:**
    12.00

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan electric motorized tilting 400 V / 3N		
Model	**SAP Code**	00007395
BRM 90/80 E	**A group of articles - web**	Pans

29. Bottom material:
Steel

30. Type of pan:
Tillting

31. Usable volume [l]:
80

32. Filling :
Mechanical cock

33. Basin shape:
Practically shaped bathtub spout to minimize spillage

34. Water filling type:
Cold

35. Cross-section of conductors CU [mm²]:
4

36. Water supply connection:
1/2”

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062