

Technical data sheet

Product features



Double-decker pizza oven

Model	SAP Code	00011174
B-22	A group of articles - web	Pizza ovens



- Pizza capacity [cm]: 4x 33
- Stoneplates: Lower
- Stone plates thickness [mm]: 14
- Control type: Mechanical
- Type of handle: Short, plastic
- Independent heating zones: Separate control for upper and lower heating elements
- Chimney for moisture extraction: Yes
- Interior lighting: Yes

SAP Code	00011174	Minimum device temperature [°C]	50
Net Width [mm]	950	Maximum device temperature [°C]	450
Net Depth [mm]	630	Width of internal part [mm]	700
Net Height [mm]	763	Depth of internal part [mm]	420
Net Weight [kg]	73.00	Height of internal part [mm]	150
Power electric [kW]	8.800	Pizza capacity [cm]	4x 33
Loading	400 V / 3N - 50 Hz		

Technical data sheet

Technical parameters



Double-decker pizza oven

Model	SAP Code	00011174
B-22	A group of articles - web	Pizza ovens

1. SAP Code:

00011174

2. Net Width [mm]:

950

3. Net Depth [mm]:

630

4. Net Height [mm]:

763

5. Net Weight [kg]:

73.00

6. Gross Width [mm]:

1040

7. Gross depth [mm]:

675

8. Gross Height [mm]:

928

9. Gross Weight [kg]:

82.00

10. Device type:

Electric unit

11. Power electric [kW]:

8.800

12. Loading:

400 V / 3N - 50 Hz

13. Control type:

Mechanical

14. Width of internal part [mm]:

700

15. Depth of internal part [mm]:

420

16. Height of internal part [mm]:

150

17. Minimum device temperature [°C]:

50

18. Maximum device temperature [°C]:

450

19. Pizza capacity [cm]:

4x 33

20. Indicators:

operation and warm-up

21. On/Off button:

Yes

22. Type of handle:

Short, plastic

23. Stoneplates:

Lower

24. Stone plates thickness [mm]:

14

25. Independent heating zones:

Separate control for upper and lower heating elements

26. Interior lighting:

Yes

27. Number of cavities:

2

28. Chimney for moisture extraction:

Yes

Technical data sheet

Technical parameters



Double-decker pizza oven		
Model	SAP Code	00011174
B-22	A group of articles - web	Pizza ovens

29. Cross-section of conductors CU [mm²]:

2,5