

Technical data sheet

Product features



Refrigerator for milk and syrups

Model	SAP Code	00039716
C5	A group of articles - web	Coffee machines



- Control type: Touchscreen
- Exterior color of the device: Black

SAP Code	00039716	Power electric [kW]	0.058
Net Width [mm]	250	Loading	220-240 V/ 50-60 Hz
Net Depth [mm]	458	Energy class	G
Net Height [mm]	479	Noise of device	49
Net Weight [kg]	16.20		

Technical data sheet

Technical drawing



Refrigerator for milk and syrups		
Model	SAP Code	00039716
C5	A group of articles - web	Coffee machines

Technical data sheet



Product benefits

Refrigerator for milk and syrups

Model	SAP Code	00039716
C5	A group of articles - web	Coffee machines

1

K přípravě různých nápojů na bázi mléka

variabilita přípravy nápojů s mlékem a mléčnou pěnou
– více spokojených komzumentů

2

Vnitřní led osvětlení

dobře viditelný obsah při otevření lednice -
zvýšený komfort
– rychlý přehled o obsahu a čistotě lednice přináší
úsporu času a nákladů

3

Malé kompaktní provedení

variabilita umístění, skladování
– nižší náklady na přepravu, skladování i případný
provoz v menších prostorách.

4

Moderní design

zvyšuje hodnotu přístroje bez nutnosti dalších investic do
vzhledu nebo sladění s interiérem
– elegantní vzhled přispívá k celkovému estetickému
dojmu každého provozu

5

Nízká spotřeba

ekologický a ekonomický provoz
– úspora provozních nákladů

Technical data sheet

Technical parameters



Refrigerator for milk and syrups

Model	SAP Code	00039716
C5	A group of articles - web	Coffee machines

1. SAP Code:

00039716

2. Net Width [mm]:

250

3. Net Depth [mm]:

458

4. Net Height [mm]:

479

5. Net Weight [kg]:

16.20

6. Gross Width [mm]:

350

7. Gross depth [mm]:

540

8. Gross Height [mm]:

565

9. Gross Weight [kg]:

18.20

10. Device type:

Electric unit

11. Exterior color of the device:

Black

12. Power electric [kW]:

0.058

13. Loading:

220-240 V/ 50-60 Hz

14. Energy class:

G

15. Control type:

Touchscreen

16. Noise of device:

49

17. Cross-section of conductors CU [mm²]:

0,5