Technical data sheet

Product features

Freezing counter GN-3D		
Model	**SAP Code**	00039824
MFT 3DN	**A group of articles - web**	Cooling and freezing tables

- Material: Stainless steel
- GN / EN size in device: GN 1/1
- Number of GN / EN: 3
- Number of doors: 3
- Control type: Digital
- Minimum device temperature [°C]: -10
- Maximum device temperature [°C]: -20
- Max ambient temperature [°C]: 38
- Insulation thickness [mm]: 60
- Unit: Right
- Automatic defrost: Yes

SAP Code	00039824	**Number of GN / EN**	3
Net Width [mm]	1795	**GN / EN size in device**	GN 1/1
Net Depth [mm]	700	**Minimum device temperature [°C]**	-10
Net Height [mm]	900	**Maximum device temperature [°C]**	-20
Net Weight [kg]	117.00	**Refrigerant**	R290
Power electric [kW]	0.260	**Worktop material**	SS201
Loading	230 V / 1N - 50 Hz	**Refrigerant weight [g]**	80.00
Energy class	B	**Climate class**	4
Chamber volume [l]	465	**Height with rim [mm]**	940
Number of doors	3		

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Technical data sheet

Technical drawing

Freezing counter GN-3D		
Model	**SAP Code**	00039824
MFT 3DN	**A group of articles - web**	Cooling and freezing tables





tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Technical data sheet

Product benefits

Freezing counter GN-3D		
Model	**SAP Code**	00039824
MFT 3DN	**A group of articles - web**	Cooling and freezing tables

1

Energy class B – annual energy consumption 1314 kWh

Very energy-efficient operation

- Reduced energy costs

2

Temperature range -10 to -20 °C

Full-fledged freezer storage

- Suitable for operations with higher consumption of frozen goods (chains, catering)

3

Energy class / consumption - B / 1,314 kWh per year

Predictable energy consumption

- Customers can calculate running costs and payback in advance

4

Refrigerant R290 (natural, low GWP)

EU legislative compliance

- Investment resistant to future regulation, lower environmental footprint

5

Automatic defrost

Minimal staff intervention required

- Saves staff time and ensures more reliable operation

6

All-stainless design of parts that are in the contract with foodstuffs

used stainless steel intended for contact with food
good maintenance
zero contamination
resists even weaker acids

- long service life and high durability

7

All-stainless design of parts that are in the contract with foodstuffs

used stainless steel intended for contact with food
good maintenance
zero contamination
resists even weaker acids

- long service life and high durability

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Technical data sheet

Technical parameters

Freezing counter GN-3D		
Model	**SAP Code**	00039824
MFT 3DN	**A group of articles - web**	Cooling and freezing tables

1. **SAP Code:**
   00039824
2. **Net Width [mm]:**
   1795
3. **Net Depth [mm]:**
   700
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   117.00
6. **Gross Width [mm]:**
   1840
7. **Gross depth [mm]:**
   740
8. **Gross Height [mm]:**
   910
9. **Gross Weight [kg]:**
   134.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    0.260
12. **Loading:**
    230 V / 1N - 50 Hz
13. **Energy class:**
    B
14. **Refrigerant:**
    R290
15. **Cooling type:**
    Static with fan
16. **Material:**
    Stainless steel
17. **Exterior color of the device:**
    Stainless steel
18. **Min ambient temperature [°C]:**
    0
19. **Max ambient temperature [°C]:**
    38
20. **Device properties 2:**
    Freezing
21. **GN / EN size in device:**
    GN 1/1
22. **Number of GN / EN:**
    3
23. **Chamber volume [l]:**
    465
24. **Worktop material:**
    SS201
25. **Adjustable feet:**
    Yes
26. **Insulation thickness [mm]:**
    60
27. **Gasket:**
    Yes
28. **Number of doors:**
    3

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Technical data sheet

Technical parameters

Freezing counter GN-3D		
Model	**SAP Code**	00039824
MFT 3DN	**A group of articles - web**	Cooling and freezing tables

29. Unit:
Right

30. Control type:
Digital

31. Annual energy consumption [kWh]:
1314

32. Minimum device temperature [°C]:
-10

33. Maximum device temperature [°C]:
-20

34. Automatic defrost:
Yes

35. Refrigerant weight [g]:
80.00

36. Number of grids:
3

37. Gross Volume [m3]:
1.239

38. Net Volume [m3]:
1.131

39. Climate class:
4

40. Height with rim [mm]:
940

41. Cross-section of conductors CU [mm²]:
0,5

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com