

# Technical data sheet

## Product features



### Food display island heated, glass ceramic GN 4-1/1 RAL

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012152                 |
| ES BROWN+ 4R | <b>A group of articles - web</b> | Sideboards and showcases |



- Buffet type: BROWN - heated, glass-ceramic
- Device properties: Warmed
- Number of GN / EN: 4
- GN / EN size in device: GN 1/1
- Minimum device temperature [°C]: 60
- Maximum device temperature [°C]: 100

|                            |          |                                        |                    |
|----------------------------|----------|----------------------------------------|--------------------|
| <b>SAP Code</b>            | 00012152 | <b>Loading</b>                         | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 1494     | <b>Number of GN / EN</b>               | 4                  |
| <b>Net Depth [mm]</b>      | 650      | <b>GN / EN size in device</b>          | GN 1/1             |
| <b>Net Height [mm]</b>     | 1288     | <b>Minimum device temperature [°C]</b> | 60                 |
| <b>Net Weight [kg]</b>     | 89.00    | <b>Maximum device temperature [°C]</b> | 100                |
| <b>Power electric [kW]</b> | 1.140    |                                        |                    |

# Technical data sheet

Technical drawing






Food display island heated, glass ceramic GN 4-1/1 RAL

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012152                 |
| ES BROWN+ 4R | <b>A group of articles - web</b> | Sideboards and showcases |

A = ELECTRICAL CONNECTION  
D = WATER DISCHARGE Ø14

|     |      |
|-----|------|
| GN  | L    |
| 3/1 | 1169 |
| 4/1 | 1494 |
| 6/1 | 2144 |



# Technical data sheet



## Product benefits

### Food display island heated, glass ceramic GN 4-1/1 RAL

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012152                 |
| ES BROWN+ 4R | <b>A group of articles - web</b> | Sideboards and showcases |

1

#### Glass ceramic plate

- smooth hard surface  
endurance
- easy maintenance
  - long service life

2

#### No press

- without sharp edges and corners
- higher hygienic safety
  - time saving due to easy cleaning

3

#### All-stainless steel construction

- harmless to health for contact with food  
robustness
- long service life
  - very easy to clean

4

#### Halogen lighting

- heating from above
- more even heating of food
  - greater hygienic safety

5

#### Travel wheels

- portable buffet table
- greater flexibility in dispensing
  - possibility of use at banquets
  - easier and safer handling

6

#### Breath galley

- galerka made of hygienic pexiglass with infrared heating
- hygienic food protection
  - heating and lighting of food from above

# Technical data sheet

## Technical parameters



### Food display island heated, glass ceramic GN 4-1/1 RAL

|              |                                  |                          |
|--------------|----------------------------------|--------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012152                 |
| ES BROWN+ 4R | <b>A group of articles - web</b> | Sideboards and showcases |

**1. SAP Code:**

00012152

**2. Net Width [mm]:**

1494

**3. Net Depth [mm]:**

650

**4. Net Height [mm]:**

1288

**5. Net Weight [kg]:**

89.00

**6. Gross Width [mm]:**

1530

**7. Gross depth [mm]:**

730

**8. Gross Height [mm]:**

1100

**9. Gross Weight [kg]:**

103.20

**10. Device type:**

Electric unit

**11. Buffet type:**

BROWN - heated, glass-ceramic

**12. Device properties:**

Warmed

**13. Exterior color of the device:**

Hemlock

**14. Power electric [kW]:**

1.140

**15. Loading:**

230 V / 1N - 50 Hz

**16. Number of GN / EN:**

4

**17. GN / EN size in device:**

GN 1/1

**18. Minimum device temperature [°C]:**

60

**19. Maximum device temperature [°C]:**

100

**20. Interior lighting:**

No

**21. Cross-section of conductors CU [mm²]:**

0,5