

# Technical data sheet



## Product features

### Freezer cabinet 555 l glass door GN 2/1, white

<b>Model</b>	<b>SAP Code</b>	00009370
HF 600/G	<b>A group of articles - web</b>	Refrigeration and freezer cabinets



- GN / EN size in device: GN 2/1
- Chamber volume [l]: 555
- Minimum device temperature [°C]: -18
- Maximum device temperature [°C]: -22
- Control type: Digital
- Door lock: Yes
- Opening of device: Hinges on the right
- Automatic defrost: Yes

<b>SAP Code</b>	00009370	<b>Gross Volume [m3]</b>	1.368
<b>Net Width [mm]</b>	695	<b>Net Volume [m3]</b>	1.023
<b>Net Depth [mm]</b>	777	<b>Number of GN / EN</b>	7
<b>Net Height [mm]</b>	1895	<b>GN / EN size in device</b>	GN 2/1
<b>Net Weight [kg]</b>	94.00	<b>Minimum device temperature [°C]</b>	-18
<b>Power electric [kW]</b>	0.350	<b>Maximum device temperature [°C]</b>	-22
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Refrigerant</b>	R600a
<b>Chamber volume [l]</b>	555		

# Technical data sheet



Technical drawing

**Freezer cabinet 555 l glass door GN 2/1, white**

<b>Model</b>	<b>SAP Code</b>	00009370
HF 600/G	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

# Technical data sheet



## Product benefits

### Freezer cabinet 555 l glass door GN 2/1, white

<b>Model</b>	<b>SAP Code</b>	00009370
HF 600/G	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

1

#### Quality insulation

minimal heat loss

- saving electricity
- less wear and tear on the compressor due to less frequent switching

2

#### Two-sided opening

possibility to change the opening from the right to the left side

- greater variability of use

3

#### All-stainless design

outer shell

only stainless steel intended for food contact is used

good maintenance

zero contamination

resists even weaker acids

- long service life and high durability

4

#### Automatic defrosting

maintenance-free operation

continuous defrosting

- zero requirement for frost control by the operator

5

#### Wheels, legs

maintenance-free operation

continuous defrosting

- easy handling even when cleaning

6

#### Glass door

visible content

- saving on electricity, as the operator does not have to open the door so many times to check the contents of the fridge

# Technical data sheet



## Technical parameters

### Freezer cabinet 555 l glass door GN 2/1, white

<b>Model</b>	<b>SAP Code</b>	00009370
HF 600/G	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

**1. SAP Code:**

00009370

**2. Net Width [mm]:**

695

**3. Net Depth [mm]:**

777

**4. Net Height [mm]:**

1895

**5. Net Weight [kg]:**

94.00

**6. Gross Width [mm]:**

860

**7. Gross depth [mm]:**

780

**8. Gross Height [mm]:**

2040

**9. Gross Weight [kg]:**

120.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.350

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R600a

**14. Cooling type:**

Static with fan

**15. Material:**

Stainless steel

**16. Min ambient temperature [°C]:**

10

**17. Max ambient temperature [°C]:**

43

**18. Device properties 2:**

Freezing

**19. GN / EN size in device:**

GN 2/1

**20. Number of GN / EN:**

7

**21. Chamber volume [l]:**

555

**22. Gross Volume [m3]:**

1.368

**23. Net Volume [m3]:**

1.023

**24. Adjustable feet:**

Yes

**25. Opening of device:**

Hinges on the right

**26. Gasket:**

Yes

**27. Number of doors:**

1

**28. Unit:**

Yes

# Technical data sheet



Technical parameters

## Freezer cabinet 555 l glass door GN 2/1, white

<b>Model</b>	<b>SAP Code</b>	00009370
HF 600/G	<b>A group of articles - web</b>	Refrigeration and freezer cabinets

### 29. Control type:

Digital

### 33. Automatic defrost:

Yes

### 30. Door lock:

Yes

### 34. Number of grids:

7

### 31. Minimum device temperature [°C]:

-18

### 35. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

### 32. Maximum device temperature [°C]:

-22