

# Technical data sheet

## Product features



### Fry-top griddle plate 65x48 gas chromed combined without cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001158                |
| FTHRC 60 GL  | <b>A group of articles - web</b> | Grills and grill plates |



- Top type: Combined
- Griddle dimensions [mm x mm]: 650 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: No
- Ignition: Piezo

|                        |          |                                     |                             |
|------------------------|----------|-------------------------------------|-----------------------------|
| <b>SAP Code</b>        | 00001158 | <b>Power gas [kW]</b>               | 8.000                       |
| <b>Net Width [mm]</b>  | 658      | <b>Type of gas</b>                  | Natural gas, propane butane |
| <b>Net Depth [mm]</b>  | 609      | <b>Griddle dimensions [mm x mm]</b> | 650 x 480                   |
| <b>Net Height [mm]</b> | 290      | <b>Top type</b>                     | Combined                    |
| <b>Net Weight [kg]</b> | 45.00    |                                     |                             |

# Technical data sheet

Technical drawing



**Fry-top griddle plate 65x48 gas chromed combined without cabinet**

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001158                |
| FTHRC 60 GL  | <b>A group of articles - web</b> | Grills and grill plates |

# Technical data sheet



## Product benefits

### Fry-top griddle plate 65x48 gas chromed combined without cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001158                |
| FTHRC 60 GL  | <b>A group of articles - web</b> | Grills and grill plates |

1

#### Safety element – thermocouple

safe service for staff  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

7

#### Cooking unit for use on a table or on a base

variable use  
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

2

#### All-stainless design

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

#### Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

5

#### High non-removable hem

better hygienic conditions  
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

6

#### Combined plate made of chrome-plated steel

the product bakes less  
enables preparation on smooth or grooved plates

- time-saving in food preparation
- easy preparation of different types of dishes

# Technical data sheet

## Technical parameters



### Fry-top griddle plate 65x48 gas chromed combined without cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00001158                |
| FTHRC 60 GL  | <b>A group of articles - web</b> | Grills and grill plates |

**1. SAP Code:**

00001158

**2. Net Width [mm]:**

658

**3. Net Depth [mm]:**

609

**4. Net Height [mm]:**

290

**5. Net Weight [kg]:**

45.00

**6. Gross Width [mm]:**

725

**7. Gross depth [mm]:**

710

**8. Gross Height [mm]:**

540

**9. Gross Weight [kg]:**

50.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Table top

**12. Power gas [kW]:**

8.000

**13. Ignition:**

Piezo

**14. Type of gas:**

Natural gas, propane butane

**15. Protection of controls:**

IPX4

**16. Material:**

AISI 430

**17. Surface finish:**

polished chrome 0.03 mm

**18. Maximum device temperature [°C]:**

300

**19. Minimum device temperature [°C]:**

50

**20. Adjustable feet:**

Yes

**21. Griddle dimensions [mm x mm]:**

650 x 480

**22. Griddle thickness [mm]:**

10.00

**23. Container for liquid fat:**

Yes

**24. Independent heating zones:**

Separate control for each heating zone

**25. Removable rim:**

No

**26. Uniform heating:**

Yes

**27. Top type:**

Combinated

**28. Connection to a ball valve:**

1/2