

Technical data sheet

Product features



Grilling board electric smooth durable chrome with contact plate

Model	SAP Code	00021100
FTHC 30 ED + KD 30 T	A group of articles - web	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 320 x 480 + 320 x 380
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for top and bottom plate
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome
- Removable rim: No

SAP Code	00021100	Power electric [kW]	6.000
Net Width [mm]	330	Loading	2x 230 V / 1N - 50 Hz
Net Depth [mm]	660	Griddle dimensions [mm x mm]	320 x 480 + 320 x 380
Net Height [mm]	400	Top type	Smooth
Net Weight [kg]	40.00		





Technical data sheet

Technical drawing



Grilling board electric smooth durable chrome with contact plate

Model	SAP Code	00021100
FTHC 30 ED + KD 30 T	A group of articles - web	Grills and grill plates



Technical data sheet



Product benefits

Grilling board electric smooth durable chrome with contact plate

Model	SAP Code	00021100
FTHC 30 ED + KD 30 T	A group of articles - web	Grills and grill plates

1

Celonerezové provedení

dlouhá životnost
odolnost materiálu z nerezové oceli aisi 304
materiál nerezne

2

Stupeň krytí ovládacích prvků ipx4

bezúdržbový systém
odolnost proti stříkající vodě
dlouhá životnost

3

Zásuvka na odpadní tekutiny

zajišťuje skapání oleje do zásuvky

4

Vysoký neodnímatelný lem

lepší hygienické podmínky
zabránění stříkání tuku na vedlejší zařízení

5

Plotna z pochromované oceli

produkt se méně napéká a lépe se čistí
dobré prohřátí masa s rýhou

6

Varná jednotka pro použití na stole nebo na podestavbě

variabilní použití
možnost umístění do menších prostor

Technical data sheet

Technical parameters



Grilling board electric smooth durable chrome with contact plate

Model	SAP Code	00021100
FTHC 30 ED + KD 30 T	A group of articles - web	Grills and grill plates

1. SAP Code:

00021100

2. Net Width [mm]:

330

3. Net Depth [mm]:

660

4. Net Height [mm]:

400

5. Net Weight [kg]:

40.00

6. Gross Width [mm]:

375

7. Gross depth [mm]:

685

8. Gross Height [mm]:

450

9. Gross Weight [kg]:

44.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

6.000

13. Loading:

2x 230 V / 1N - 50 Hz

14. Protection of controls:

IPX4

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 430

17. Indicators:

operation and warm-up

18. Surface finish:

durable chrome

19. Maximum device temperature [°C]:

300

20. Minimum device temperature [°C]:

50

21. Griddle dimensions [mm x mm]:

320 x 480 + 320 x 380

22. Griddle thickness [mm]:

10.00

23. Container for liquid fat:

Yes

24. Independent heating zones:

Separate control for top and bottom plate

25. Removable rim:

No

26. Uniform heating:

Yes

27. Top type:

Smooth

28. Cross-section of conductors CU [mm²]:

2,5