

Technical data sheet

Product features



Cooling cabinet 533 l, stainless steel

Model	SAP Code	00039840
DNR 600 S	A group of articles - web	Refrigeration and freezer cabinets



- GN / EN size in device: GN 2/1
- Chamber volume [l]: 533
- Minimum device temperature [°C]: 0
- Maximum device temperature [°C]: 10
- Insulation thickness [mm]: 70
- Control type: Digital
- Interior lighting: No
- Door lock: Yes
- Opening of device: Two-sided
- Automatic defrost: Yes
- Annual energy consumption [kWh]: 310

SAP Code	00039840	Net Volume [m3]	1.075
Net Width [mm]	775	GN / EN size in device	GN 2/1
Net Depth [mm]	750	Minimum device temperature [°C]	0
Net Height [mm]	1850	Maximum device temperature [°C]	10
Net Weight [kg]	90.00	Refrigerant	R600a
Power electric [kW]	0.140	Noise of device	50,4-51,1
Loading	230 V / 1N - 50 Hz	Load capacity [kg]	30
Energy class	A	Refrigerant weight [g]	107.00
Chamber volume [l]	533	Climate class	4
Gross Volume [m3]	1.229		


Technical data sheet

Technical drawing



Cooling cabinet 533 l, stainless steel

Model	SAP Code	00039840
	A group of articles - web	Refrigeration and freezer cabinets



Technical data sheet



Product benefits

Cooling cabinet 533 I, stainless steel

Model	SAP Code	00039840
DNR 600 S	A group of articles - web	Refrigeration and freezer cabinets

1

Energy class A – annual consumption 310 kWh

Very energy-efficient operation

- Reduced energy costs

2

Insulation 70 mm

Thick PU insulation, lower heat loss

- Lower energy consumption and stable internal temperature even at higher ambient temperatures (up to 38 °C)

3

Automatic defrost

Minimal staff intervention required

- Saves staff time and ensures more reliable operation

4

Pressed drawers

GN containers can be inserted without using shelves

- Space saving, better ergonomics

5

All-stainless design of parts that are in the contract with foodstuffs

used stainless steel intended for contact with food

good maintenance

zero contamination

resists even weaker acids

- long service life and high durability

Technical data sheet

Technical parameters



Cooling cabinet 533 l, stainless steel

Model	SAP Code	00039840
DNR 600 S	A group of articles - web	Refrigeration and freezer cabinets

1. SAP Code:

00039840

2. Net Width [mm]:

775

3. Net Depth [mm]:

750

4. Net Height [mm]:

1850

5. Net Weight [kg]:

90.00

6. Gross Width [mm]:

810

7. Gross depth [mm]:

770

8. Gross Height [mm]:

1970

9. Gross Weight [kg]:

97.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.140

12. Loading:

230 V / 1N - 50 Hz

13. Energy class:

A

14. Refrigerant:

R600a

15. Cooling type:

Static with fan

16. Material:

Stainless steel

17. Min ambient temperature [°C]:

0

18. Max ambient temperature [°C]:

38

19. Additional information:do skříně se vejde GN 2/1 i 2x GN 1/1 vedle sebe,
masová bedna T-50**20. Device properties 2:**

Cooling

21. GN / EN size in device:

GN 2/1

22. Chamber volume [l]:

533

23. Gross Volume [m3]:

1.229

24. Net Volume [m3]:

1.075

25. Worktop material:

SS201

26. Adjustable feet:

Yes

27. Insulation thickness [mm]:

70

28. Opening of device:

Two-sided

Technical data sheet

Technical parameters



Cooling cabinet 533 I, stainless steel

Model	SAP Code	00039840
DNR 600 S	A group of articles - web	Refrigeration and freezer cabinets

29. Gasket:

Yes

30. Number of doors:

1

31. Unit:

Yes

32. Control type:

Digital

33. Door lock:

Yes

34. Interior lighting:

No

35. Annual energy consumption [kWh]:

310

36. Minimum device temperature [°C]:

0

37. Maximum device temperature [°C]:

10

38. Automatic defrost:

Yes

39. Defrosting cycle:

No

40. Noise of device:

50,4-51,1

41. Load capacity [kg]:

30

42. Refrigerant weight [g]:

107.00

43. Number of grids:

5

44. Grid size [mm x mm]:

659x505

45. Climate class:

4

46. Cross-section of conductors CU [mm²]:

0,5