

Technical data sheet



Product features

Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

| | | |
|--------------|----------------------------------|--------------------------------|
| Model | SAP Code | 00010029 |
| SHF 1511 KL | A group of articles - web | Šokery a multifunkční zařízení |



- Shock cooling cycle kg / min (+3 ° C): 40
- Shock freeze cycle kg / min (-18 ° C): 28
- Minimum device temperature [°C]: 3
- Maximum device temperature [°C]: -18
- Probe: 4-points
- Insulation thickness [mm]: 60
- Control type: Digital

| | | | |
|----------------------------|--------------------|--|---------|
| SAP Code | 00010029 | Number of GN / EN | 15 |
| Net Width [mm] | 790 | GN / EN size in device | GN 1/1 |
| Net Depth [mm] | 799 | GN device depth | 40 |
| Net Height [mm] | 1970 | Shock cooling cycle kg / min (+3 ° C) | 40 |
| Net Weight [kg] | 163.00 | Shock freeze cycle kg / min (-18 ° C) | 28 |
| Power electric [kW] | 2.260 | Control type | Digital |
| Loading | 400 V / 3N - 50 Hz | | |


Technical data sheet



Technical drawing

Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

| | | |
|--------------|----------------------------------|--------------------------------|
| Model | SAP Code | 00010029 |
| SHF 1511 KL | A group of articles - web | Šokery a multifunkční zařízení |



Technical data sheet



Product benefits

Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

| | | |
|--------------|----------------------------------|--------------------------------|
| Model | SAP Code | 00010029 |
| SHF 1511 KL | A group of articles - web | Šokery a multifunkční zařízení |

1

Very fast cooling and freezing

times faster cooling and freezing compared to a classic refrigerator/freezer

2

Controlled defrosting

safety and hygiene

3

Probe in standard equipment

accurate and safe cooling/freezing/defrosting thanks to core temperature measurement

4

Digital control

clarity and simplicity of operation

5

Autorepair surface

easy to maintain

Technical data sheet



Technical parameters

Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

| | | |
|--------------|----------------------------------|--------------------------------|
| Model | SAP Code | 00010029 |
| SHF 1511 KL | A group of articles - web | Šokery a multifunkční zařízení |

1. SAP Code:

00010029

2. Net Width [mm]:

790

3. Net Depth [mm]:

799

4. Net Height [mm]:

1970

5. Net Weight [kg]:

163.00

6. Gross Width [mm]:

830

7. Gross depth [mm]:

860

8. Gross Height [mm]:

2120

9. Gross Weight [kg]:

188.60

10. Device type:

Electric unit

11. Opening of device:

Hinges on the left

12. Power electric [kW]:

2.260

13. Loading:

400 V / 3N - 50 Hz

14. Control type:

Digital

15. Refrigerant:

R452a

16. Number of GN / EN:

15

17. GN / EN size in device:

GN 1/1

18. GN device depth:

40

19. Minimum device temperature [°C]:

3

20. Maximum device temperature [°C]:

-18

21. Shock freeze cycle kg / min (-18 ° C):

28

22. Shock cooling cycle kg / min (+3 ° C):

40

23. Insulation thickness [mm]:

60

24. Probe:

4-points

25. Adjustable feet:

Yes

26. Cross-section of conductors CU [mm²]:

1