

Technical data sheet

Product features



Refrigeration tabletop electric GN 1/1 4x socket 230 V

Model	SAP Code	00005514
SZ 902	A group of articles - web	Cooling and freezing tables

- Material: Stainless steel
- GN / EN size in device: GN 1/1
- Number of GN / EN: 4
- Number of drawers: 4
- Control type: Digital
- Minimum device temperature [°C]: 2
- Maximum device temperature [°C]: 8
- Max ambient temperature [°C]: 43
- Insulation thickness [mm]: 60
- Unit: Yes
- Automatic defrost: Yes

SAP Code	00005514	Number of drawers	4
Net Width [mm]	900	Number of GN / EN	4
Net Depth [mm]	700	GN / EN size in device	GN 1/1
Net Height [mm]	880	GN device depth	150
Net Weight [kg]	100.00	Minimum device temperature [°C]	2
Power electric [kW]	0.250	Maximum device temperature [°C]	8
Loading	230 V / 1N - 50 Hz	Refrigerant	R600a

Technical data sheet

Technical parameters



Refrigeration tabletop electric GN 1/1 4x socket 230 V

Model	SAP Code	00005514
SZ 902	A group of articles - web	Cooling and freezing tables

1. SAP Code:

00005514

2. Net Width [mm]:

900

3. Net Depth [mm]:

700

4. Net Height [mm]:

880

5. Net Weight [kg]:

100.00

6. Gross Width [mm]:

930

7. Gross depth [mm]:

730

8. Gross Height [mm]:

915

9. Gross Weight [kg]:

120.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.250

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R600a

14. Cooling type:

Static with fan

15. Material:

Stainless steel

16. Min ambient temperature [°C]:

10

17. Max ambient temperature [°C]:

43

18. Device properties 2:

Cooling

19. GN / EN size in device:

GN 1/1

20. Number of GN / EN:

4

21. GN device depth:

150

22. Adjustable feet:

Yes

23. Pizza design:

Yes

24. Insulation thickness [mm]:

60

25. Number of drawers:

4

26. Unit:

Yes

27. Control type:

Digital

28. Minimum device temperature [°C]:

2

Technical data sheet

Technical parameters



Refrigeration tabletop electric GN 1/1 4x socket 230 V

Model	SAP Code	00005514
SZ 902	A group of articles - web	Cooling and freezing tables

29. Maximum device temperature [°C]:

8

32. Net Volume [m3]:

0.554

30. Automatic defrost:

Yes

33. Cross-section of conductors CU [mm²]:

0,5

31. Gross Volume [m3]:

0.621